

Initial R Xpert™ 2.4: Single use distal radius sterile kits

Initial R™ Xpert 2.4 - kits content

Example : KIT-XS3D



Indications:

The implants of the Initial R™ Xpert Wrist range are intended for fixation of hand and forearm fractures, osteotomies and arthrodeses in adults.

Contraindications:

- Serious vascular deterioration, bone devitalization.
- Pregnancy.
- Acute or chronic local and systemic infections.
- Lack of musculo-cutaneous cover, severe vascular deficiency affecting the concerned area.
- Insufficient bone quality preventing a good fixation of the implants into the bone.
- Muscular deficit, neurological deficiency or behavioral disorders, which could submit the implant to abnormal mechanical strains.
- Allergy to one of the materials used or sensitivity to foreign bodies.
- Serious problems of non-compliance, metal or neurological disorders, failure to follow post-operative care recommendations.
- Unstable physical and/or mental condition.

SDT2.4Lxx
Ø2.4 mm locking screws
Non anodized

Pins - Ø1.4 L120 mm x4

T8 prehensor screwdriver

Length gauge

Ø1.8 mm quick coupling drill bit - L125 mm

CT2.4Lxx
Ø2.4 mm standard cortical screws
Pink anodized

Plate for distal radius

Handle for guide gauge

Ø1.8 mm threaded guide gauge

Polyaxial drill guide



NEWCLIP-TECHNICS



Initial R Xpert™ 2.4 - Kit references




DTGVNS1 DTDVNS1

2.4 polyaxial plate for distal radius
Narrow head - Extra short - Size 1
Left and right



DTGVN1 DTDVN1

2.4 polyaxial plate for distal radius
Narrow head - Size 1
Left and right




DTGVS1 DTDVS1

2.4 polyaxial plate for distal radius
Standard head - Size 1
Left and right

KIT-XNS1G or KIT-XNS1D*		
Distal radius kit - Narrow head - Extra short - Size 1 - Left or Right		
Ref.	Description	Qty
DTxVNS1	2.4 polyaxial plate for distal radius - Narrow head - Extra short - Size 1 - Left or right	1
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	2
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	2
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1


KIT-XN1G or KIT-XN1D*		
Distal radius kit - Narrow head - Size 1 - Left or Right		
Ref.	Description	Qty
DTxVN1	2.4 polyaxial plate for distal radius - Narrow head - Size 1 - Left or right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	2
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	2
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	2
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1

KIT-XS1G or KIT-XS1D*		
Distal radius kit - Standard head - Size 1 - Left or Right		
Ref.	Description	Qty
DTxVS1	2.4 polyaxial plate for distal radius - Standard head - Size 1 - Left or right	1
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	2
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	2
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	3
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	2
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1
CT2.4L18	Standard cortical screw - Ø2.4 mm - L18 mm	1




DTGVN2 DTDVN2

2.4 polyaxial plate for distal radius
Narrow head - Size 2
Left and right



DTGVS2 DTDVS2

2.4 polyaxial plate for distal radius
Standard head - Size 2
Left and right



DTGVW2 DTDVW2

2.4 polyaxial plate for distal radius
Wide head - Size 2
Left and right


KIT-XN2G or KIT-XN2D*		
Distal radius kit - Narrow head - Size 2 - Left or Right		
Ref.	Description	Qty
DTxVN2	2.4 polyaxial plate for distal radius - Narrow head - Size 2 - Left or right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	2
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	3
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	3
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	2
CT2.4L12	Standard cortical screw - Ø2.4 mm - L12 mm	1
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1

KIT-XS2G or KIT-XS2D*		
Distal radius kit - Standard head - Size 2 - Left or Right		
Ref.	Description	Qty
DTxVS2	2.4 polyaxial plate for distal radius - Standard head - Size 2 - Left or right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	1
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	2
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	3
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	2
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1

KIT-XW2G or KIT-XW2D*		
Distal radius kit - Wide head - Size 2 - Left or Right		
Ref.	Description	Qty
DTxVW2	2.4 polyaxial plate for distal radius - Wide head - Size 2 - Left or right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	1
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	3
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	3
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	2
SDT2.4L24	Locking screw with conical head - Ø2.4 mm - L24 mm	2
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1

* Each kit includes only one plate (left or right)
NB : additional sterile screws can be ordered separately (S-Box)


Initial R Xpert™ 2.4 - Kit references



2.4 hybrid plate for distal radius
Narrow head - Size 3
Left and right



2.4 hybrid plate for distal radius
Standard head - Size 3
Left and right




2.4 hybrid plate for distal radius
Wide head - Size 3
Left and right

KIT-XN3G or KIT-XN3D* Distal radius kit - Narrow head - Size 3 - Left or Right		
Ref.	Description	Qty
DTxVN3	2.4 hybrid plate for distal radius - Narrow head - Size 3 - Left or right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	3
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	3
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	3
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	2
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	1
CT2.4L12	Standard cortical screw - Ø2.4 mm - L12 mm	1
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1

KIT-XS3G or KIT-XS3D* Distal radius kit - Standard head - Size 3 - Left or Right		
Ref.	Description	Qty
DTxV53	2.4 hybrid plate for distal radius - Standard head - Size 3 - Left or right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	2
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	2
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	3
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	2
SDT2.4L24	Locking screw with conical head - Ø2.4 mm - L24 mm	1
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1

KIT-XW3G or KIT-XW3D* Distal radius kit - Wide head - Size 3 - Left or Right		
Ref.	Description	Qty
DTxVW3	2.4 Hybrid plate for distal radius - Wide head - Size 3 - Left or Right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	1
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	2
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	3
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	3
SDT2.4L24	Locking screw with conical head - Ø2.4 mm - L24 mm	2
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1



2.4 polyaxial plate for distal radius
Standard head - Size 4
Left and right

KIT-XS4G or KIT-XS4D* Distal radius kit - Standard head - Size 4 - Left or Right		
Ref.	Description	Qty
DTxV54	2.4 polyaxial plate for distal radius - Standard head - Size 4 - Left or right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	3
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	3
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	3
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	3
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	2
CT2.4L12	Standard cortical screw - Ø2.4 mm - L12 mm	1
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1

* Each kit includes only one plate (left or right)
NB: additional sterile screws can be ordered separately (S-Box)

Initial R Xpert™ 2.4 - Kit references




DETGVN1 DETDVN1

Extra distal plate for distal radius
Narrow head - Size 1
Left and right



DETVS1 DETDVS1

Extra distal plate for distal radius
Standard head - Size 1
Left and right



DETVW1 DETDVW1

Extra distal plate for distal radius
Wide head - Size 1
Left and right

KIT-XEN1G or KIT-XEN1D*		
Distal radius kit - Extra distal - Narrow head - Size 1 - Left or Right		
Ref.	Description	Qty
DETVN1	Extra distal plate for distal radius - Narrow head - Size 1 - Left or right	1
SDT2.4L12	Locking screw with conical head - Ø2.4 mm - L12 mm	2
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	3
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	2
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	1
CT2.4L14	Standard cortical screw - Ø2.4 mm - L14 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1

KIT-XES1G or KIT-XES1D*		
Distal radius kit - Extra distal - Standard head - Size 1 - Left or Right		
Ref.	Description	Qty
DETVS1	Extra distal plate for distal radius - Standard head - Size 1 - Left or right	1
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	2
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	3
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	2
SDT2.4L24	Locking screw with conical head - Ø2.4 mm - L24 mm	1
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1
CT2.4L18	Standard cortical screw - Ø2.4 mm - L18 mm	1

KIT-XEW1G or KIT-XEW1D*		
Distal radius kit - Extra distal - Wide head - Size 1 - Left or Right		
Ref.	Description	Qty
DETVW1	Extra distal plate for distal radius - Wide head - Size 1 - Left or right	1
SDT2.4L14	Locking screw with conical head - Ø2.4 mm - L14 mm	2
SDT2.4L16	Locking screw with conical head - Ø2.4 mm - L16 mm	2
SDT2.4L18	Locking screw with conical head - Ø2.4 mm - L18 mm	3
SDT2.4L20	Locking screw with conical head - Ø2.4 mm - L20 mm	3
SDT2.4L22	Locking screw with conical head - Ø2.4 mm - L22 mm	2
SDT2.4L24	Locking screw with conical head - Ø2.4 mm - L24 mm	2
CT2.4L16	Standard cortical screw - Ø2.4 mm - L16 mm	1
CT2.4L18	Standard cortical screw - Ø2.4 mm - L18 mm	1

* Each kit includes only one plate (left or right)
NB: additional sterile screws can be ordered separately (S-Box)

The information presented in this brochure is intended to demonstrate a Newclip Technics product. Always refer to the package insert, product label and/or user instructions before using any Newclip Technics product. Surgeons must always rely on their own clinical judgment when deciding which products and techniques to use with their patients. Products may not be available in all markets. Product availability is subject to the regulatory or medical practices that govern individual markets. Please contact your Newclip Technics representative if you have questions about the availability of Newclip Technics products in your area.



NEWCLIP TECHNICS (HQ)
PA de la Lande Saint Martin
45 rue des Garottières
44115 Haute Goulaine, France
+33 (0)2 28 21 23 25
orders@newcliptechnics.com
www.newcliptechnics.com

NEWCLIP TECHNICS USA
Newclip USA
642 Larkfield Center
Santa Rosa CA 95403, USA
+1 707 230 5078
customerservice@newclipusa.com
www.newclipusa.com

NEWCLIP TECHNICS IBERIA
Calle Frederic Mompou 4b
Sant Just Desvern
08960 Barcelona, España
+34 938 299 526
contact@newclipiberia.com
www.newcliptechnics.com

NEWCLIP TECHNICS GERMANY
Newclip GmbH
Pröllstraße 11
D-86157 Augsburg, Deutschland
+49 (0)821 650 749 40
info@newclipgmbh.com
www.newclipgmbh.de

NEWCLIP TECHNICS JAPAN
Newclip Technics Japan K.K.
KKK Bldg. 502, 3-18-1 Asakusabashi
Taito-Ku, Tokyo, 111-0053, Japan
+81 (0)3 58 25 49 81
Fax: +81 (0)3 58 25 49 86
www.newcliptechnics.com

NEWCLIP TECHNICS AUSTRALIA
Newclip Australia
3B/11 Donkin Street
West End 4101, Australia
+61 (0)2 81 886 110
solutions@newclipaustralia.com
www.newcliptechnics.com